

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

0502-CPR-10002

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Wood based panel manufactured under pressure and heat from particles of wood and/or other lignocellulosic material in particle form, with the addition of a polymeric adhesive.

Particleboard characterised as

Classification	Formaldehyde emission	Thickness range
EN 312 - P1	E1	6 mm – 40 mm
EN 312 - P2	E1	6 mm – 40 mm
EN 312 - P4	E1	6 mm – 40 mm
EN 312 - P5	E1	6 mm – 40 mm

Woodspecies:

- various species
- recycled wooden material

- Reaction to fire, class according to EN 13501-1:

	Min. Density Kg/m ³	Min. Thickness mm	class excl. Flooring	Class flooring
Particleboard	600	9	D-s2, d0	Dfl-s1

Intended use:

For structural elements in internal or external applications in construction

produced by or for

Norbord Europe Limited

and produced in the manufacturing plant(s)

**Hill Village, South Molton
 North Devon EX36 4HP
 ENGLAND**


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard **EN 13986:2004+A1:2015**

under system 2+ are applied and that **he factory production control is assessed to be in conformity with the applicable requirements**

This certificate was first issued on **1 January 2004** and will remain valid from **23 April 2020** till **23 April 2021** as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by SKH.

On behalf of SKH:

drs. H.J.O. van Doorn



Director

Date: **23 April 2020**

Supersedes version: **23 April 2019**

The validity of the certificate may be confirmed at the SKH-website: www.skh.nl
 Reproduction of the complete certificate is allowed
 The certificate and all copies shall be returned to SKH immediately on request

