

# CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

## 0502-CPR-10001

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

**Oriented Strand Board OSB/2 A multi-layered board mainly made from strands of wood together with a binder**

OSB characterised as

Classification	Formaldehyde emission	Thickness range
EN 300 – OSB/2	E1	6 mm - 40 mm

- Woodspecies: Scots pine, Lodgepole pine, Corsican pine, Douglas fir, Spruce, Larch, Birch

- Reaction to fire, class according to EN 13501-1:

	Min. Density Kg/m3	Min. Thickness mm	class excl. Flooring	Class flooring
OSB	> 550	9	D-s2, d0	Dfl-s1
OSB	> 600	<9	E	na

Intended use:

**For structural elements in internal applications in construction**

produced by or for  
**Norbord Europe Limited**

and produced in the manufacturing plant(s)  
**Morayhill, Dalcross  
 IV2 7JQ INVERNESS  
 SCOTLAND**


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard **EN 13986:2004+A1:2015**

under system 2+ are applied and that **he factory production control is assessed to be in conformity with the applicable requirements**

This certificate was first issued on **1 January 2004** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by SKH.

On behalf of SKH:

drs. H.J.O. van Doorn



Director

Date: **23 April 2020**

Supersedes version: **23 April 2019**

The validity of the certificate may be confirmed at the SKH-website: [www.skh.nl](http://www.skh.nl)  
 Reproduction of the complete certificate is allowed  
 The certificate and all copies shall be returned to SKH immediately on request

